

L Number	Hits	Search Text	DB	Time stamp
1	6	((key keytop) adj3 ((replace\$4) with (key adj2 code)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 07:08
2	154	((key keytop) with ((replace\$4) with (key adj2 code)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 07:00
3	56	((key keytop) near5 ((replace\$4) with (key adj2 code)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 07:09
4	72	((key keytop) near5 ((removable movable replace\$4) with (key adj2 code)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 07:09
5	16	((key keytop) near5 ((removable movable replace\$4) with (key adj2 code))) not ((key keytop) near5 ((replace\$4) with (key adj2 code)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 07:11
6	97	((key keytop) with ((replace\$4) with (key adj2 code))) not ((key keytop) near5 ((removable movable replace\$4) with (key adj2 code)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 07:19
7	1883	keyboard with (key adj (identifier code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 07:20
9	0	keyboard with (key adj (removable adj2 identifier))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 07:21
8	16	keyboard with (key adj (identifier))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 07:21

L Number	Hits	Search Text	DB	Time stamp
1	6	((key keytop) adj3 ((replace\$4) with (key adj2 code)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 07:08
2	154	((key keytop) with ((replace\$4) with (key adj2 code)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 07:00
3	56	((key keytop) near5 ((replace\$4) with (key adj2 code)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 07:09
4	72	((key keytop) near5 ((removable movable replace\$4) with (key adj2 code)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 07:09
5	16	((key keytop) near5 ((removable movable replace\$4) with (key adj2 code))) not ((key keytop) near5 ((replace\$4) with (key adj2 code)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 07:11
6	97	((key keytop) with ((replace\$4) with (key adj2 code))) not ((key keytop) near5 ((removable movable replace\$4) with (key adj2 code)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 07:19
7	1883	keyboard with (key adj (identifier code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 07:20
9	0	keyboard with (key adj (removable adj2 identifier))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 07:21
8	16	keyboard with (key adj (identifier))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 07:21
-	2	keyboard and (self near2 defini\$4 near2 key)	USPAT; US-PGPUB	2003/02/10 05:35
-	1	keyboard and (self near2 defini\$4 near2 key)	EPO; JPO; DERWENT; IBM_TDB	2003/02/10 05:34
-	3	keyboard and (relegendable near5 keyswitch)	USPAT; US-PGPUB	2003/02/10 05:49
-	0	keyboard and (relegendable near5 keyswitch)	EPO; JPO; DERWENT; IBM_TDB	2003/02/10 05:38
-	10	keyboard and (non\$2standard near5 key)	EPO; JPO; DERWENT; IBM_TDB	2003/02/10 05:40
-	0	keyboard and (multifunctional near4 key near4 position)	USPAT; US-PGPUB	2003/02/10 05:51
-	6341	keyboard and (key near4 position)	USPAT; US-PGPUB	2003/02/10 05:51
-	0	keyboard and (multifunctional with (key near4 position))	USPAT; US-PGPUB	2003/02/10 05:52
-	0	((keyboard and (key near4 position)) and ((inscription legend) near5 on near5 keycap)	USPAT; US-PGPUB	2003/02/10 05:54
-	970	((keyboard and (key near4 position)) and (ident\$6 near5 (character function)))	USPAT; US-PGPUB	2003/02/11 10:48

-	242	((keyboard and (key near4 position)) and (ident\$6 near5 (character function))) and pin	USPAT; US-PGPUB	2003/02/10 05:56
-	184	((((keyboard and (key near4 position)) and (ident\$6 near5 (character function))) and pin) and location	USPAT; US-PGPUB	2003/02/10 05:57
-	4	(keyboard and (key near4 position)) and (multibit near5 binary near5 code)	USPAT; US-PGPUB	2003/02/10 07:21
-	13	(keyboard and (key near4 position)) and ((inscription legend) with keycap)	USPAT; US-PGPUB	2003/02/10 07:07
-	1	((((keyboard and (key near4 position)) and (ident\$6 near5 (character function))) and pin) and location) and (multibit near5 binary near5 code)	USPAT; US-PGPUB	2003/02/10 07:22
-	0	(keyboard and (key near4 position)) and (multibit near5 binary near5 code)	EPO; JPO; DERWENT; IBM TDB	2003/02/10 09:00
-	34	((((keyboard and (key near4 position)) and (ident\$6 near5 (character function))) and pin) and location) and (binary near5 code)	USPAT; US-PGPUB	2003/02/10 07:22
-	533	keyboard and (key adj (data identifier))	EPO; JPO; DERWENT; IBM TDB	2003/02/10 09:04
-	0	(keyboard and (key adj (data identifier))) and (multibit near5 binary near5 code)	EPO; JPO; DERWENT; IBM TDB	2003/02/10 09:05
-	1	(keyboard and (key adj (data identifier))) and (binary near5 code)	EPO; JPO; DERWENT; IBM TDB	2003/02/10 09:01
-	0	(keyboard and (key adj (data identifier))) and (binary near5 code)	USPAT; US-PGPUB	2003/02/10 09:03
-	0	(keyboard and (key adj (data identifier))) and (multibit near5 binary near5 code)	USPAT; US-PGPUB	2003/02/10 09:01
-	0	(keyboard and (key adj (data identifier))) and (binary with code)	USPAT; US-PGPUB	2003/02/10 09:03
-	2822	keyboard and (key adj (data identifier))	USPAT; US-PGPUB	2004/02/22 09:53
-	3	(keyboard and (key adj (data identifier))) and (multibit near5 binary near5 code)	USPAT; US-PGPUB	2003/02/10 09:14
-	236	(keyboard and (key adj (data identifier))) and (binary near5 code)	USPAT; US-PGPUB	2003/02/10 09:14
-	156	(keyboard and (key adj (data identifier))) and (binary adj code)	USPAT; US-PGPUB	2003/02/11 08:34
-	2	(keyboard and (key adj (data identifier))) and (multibit adj binary adj code)	USPAT; US-PGPUB	2003/02/10 09:34
-	556	keyboard with (key adj (data identifier))	USPAT; US-PGPUB	2003/02/10 09:40
-	0	(keyboard with (key adj (data identifier))) with (binary adj code)	USPAT; US-PGPUB	2003/02/10 09:35
-	37	(keyboard with (key adj (data identifier))) and (binary adj code)	USPAT; US-PGPUB	2003/02/10 09:33
-	341	keyboard near3 (disabled invalid)	USPAT; US-PGPUB	2003/02/10 09:45
-	0	(keyboard near3 (disabled invalid)) with (binary adj code)	USPAT; US-PGPUB	2003/02/10 09:35
-	1	(keyboard near3 (disabled invalid)) and (multibit adj binary adj code)	USPAT; US-PGPUB	2003/02/10 11:19
-	2	(keyboard near3 (disabled invalid)) and (self adj defin\$5 adj key)	USPAT; US-PGPUB	2003/02/10 09:37
-	0	(keyboard near3 (disabled invalid)) and (self adj defin\$5 adj key)	EPO; JPO; DERWENT; IBM TDB	2003/02/10 09:38
-	13	(keyboard near3 (disabled invalid)) and (keyboard with (key adj (data identifier)))	USPAT; US-PGPUB	2003/02/10 09:41
-	0	keyboard adj for adj (disabled invalid)	USPAT; US-PGPUB	2003/02/10 09:46

-	0	keyboard adj for adj (disabled invalid)	EPO; JPO; DERWENT; IBM_TDB	2003/02/10 09:46
-	83	keyboard near3 (disabled invalid)	EPO; JPO; DERWENT; IBM_TDB	2003/02/10 10:30
-	0	keyboard and (self\$1idetifi\$6 adj key)	USPAT; US-PGPUB	2003/02/10 12:17
-	2	keyboard and (self adj defin\$4 adj key)	USPAT; US-PGPUB	2003/02/10 12:25
-	1	keyboard and (self adj defin\$4 adj key)	EPO; JPO; DERWENT; IBM_TDB	2003/02/10 12:23
-	4	keyboard and (self near5 defin\$4 near5 key)	EPO; JPO; DERWENT; IBM_TDB	2003/02/10 12:23
-	6	keyboard and (self near5 defin\$4 near5 key)	USPAT; US-PGPUB	2003/02/10 12:28
-	2313	keyboard and (key adj code)	USPAT; US-PGPUB	2003/02/10 12:29
-	0	keyboard and (multibit adj binary adj key adj code)	USPAT; US-PGPUB	2003/02/10 12:30
-	3	keyboard and (bit adj binary adj key adj code)	USPAT; US-PGPUB	2003/02/10 12:30
-	19	keyboard and (binary adj key adj code)	USPAT; US-PGPUB	2003/02/10 12:33
-	0	(keyboard and (key adj (data identifier))) and (serial adj binary adj code)	USPAT; US-PGPUB	2003/02/11 08:35
-	15	(keyboard) and (serial adj binary adj code)	USPAT; US-PGPUB	2003/02/11 08:39
-	0	(keyboard) with (serial adj binary adj code)	USPAT; US-PGPUB	2003/02/11 08:39
-	1	(keyboard) same (serial adj binary adj code)	USPAT; US-PGPUB	2003/02/11 08:40
-	8	(keyboard and (key near4 position)) and (ident\$6 near5 (character function)) and (capacitive adj switches)	USPAT; US-PGPUB	2003/02/11 10:49
-	1	4712092.pn.	USPAT; US-PGPUB	2003/06/10 09:01
-	8	4712092.URPN.	USPAT	2003/06/10 09:01
-	8	4712092.URPN.	USPAT	2003/06/10 09:02
-	113	keyboard and (removable adj3 (key button))	USPAT; US-PGPUB	2003/06/10 09:31
-	28	keyboard with (removable adj3 (key button))	USPAT; US-PGPUB	2003/06/10 09:38
-	15	keyboard same (removable adj (key button))	USPAT; US-PGPUB	2003/06/10 09:38
-	2551	keyboard and (key adj (code))	USPAT; US-PGPUB	2004/02/22 09:54
-	1531	keyboard with (key adj (code identifier data))	USPAT; US-PGPUB	2004/02/22 10:02
-	7	keyboard with (key adj (binary adj3 code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 09:58
-	0	keyboard with (key adj (identifier adj3 code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 09:58
-	3	keyboard with (key near3 (identifier adj3 code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 10:00

-	5	keyboard same (key near3 (identifier adj3 code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 10:00
-	0	keyboard with (key adj (movable adj3 (code identifier)))	USPAT; US-PGPUB	2004/02/22 10:04
-	1	keyboard and (key adj3 (movable adj3 (code identifier)))	USPAT; US-PGPUB	2004/02/22 10:05
-	1	keyboard same (key adj3 (movable near3 (code identifier)))	USPAT; US-PGPUB	2004/02/22 10:07
-	6	keyboard same (key adj3 ((removable movable replace\$4) with (code identifier)))	USPAT; US-PGPUB	2004/02/22 10:11
-	10	keyboard same (key adj3 ((removable movable replace\$4) with (code identifier)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 10:34
-	4	(keyboard same (key adj3 ((removable movable replace\$4) with (code identifier)))) not (keyboard same (key adj3 ((removable movable replace\$4) with (code identifier))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 10:11
-	1	keyboard same ((key keytop) adj3 ((removable movable replace\$4) with (key adj2 code)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 10:20
-	45	((key keytop) with ((removable movable replace\$4) adj3 (key adj2 code)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 10:21
-	20	((key keytop) with ((removable movable replace\$4) adj (key adj2 code)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 10:22
-	8	((key keytop) adj3 ((removable movable replace\$4) with (key adj2 code)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 06:56
-	75	((key keytop) with ((removable movable replace\$4) near3 (key adj2 code)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 10:27
-	2	keyboard same (key adj3 ((movable) with (code identifier)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 10:45
-	2	4879557.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 10:49
-	11	4879557.URPN.	USPAT	2004/02/22 10:45
-	127	keyboard adj disabled	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 10:50
-	417	keyboard near3 disabled	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 10:51

-	0	(keyboard near3 disabled) with (movable adj2 key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 10:53
-	0	(keyboard near3 disabled) with (movable adj2 code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 10:53
-	0	(keyboard near3 disabled) with (movable adj2 identifier)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 10:53
-	0	(keyboard near3 disabled) with ((movable replac\$4 change\$4) adj2 key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 10:55
-	0	(keyboard near3 disabled) with ((movable replac\$4 change\$4) adj2 code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 10:55
-	116	(keyboard near3 disabled) and ((movable replac\$4 change\$4) near22 key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 11:00
-	8	(keyboard near3 disabled) same ((movable replac\$4 change\$4) near22 key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 10:56
-	2	(keyboard near3 handicap\$4) same ((movable replac\$4 change\$4 place\$4) near2 key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 11:02
-	101	(keyboard near3 handicap\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 11:36
-	0	(keyboard near3 handicap\$4) and movable adj2 key	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 11:37